NOBO

Sasco

PROJECTION

ACCO BRANDS

Overhead Projectors

Desktop

Sleek and versatile projectors with enhanced practical functionality for use in all types of conference, training and meeting rooms

Extremely quiet machines with enhanced optics offering precise edge-to-edge focussing

Compact construction weighing less than 10kg with built-in carry grips and the ability to store the head, arm and column inside the unit

Nobo Quantum Overhead Projectors 2521, 2523, 4023

- Extremely compact and lightweight, ergomonic design
- Integrated cable tidy ensuring that the lead is always to hand
- Automatic fringe control within set parameters, eliminating the blue and brown cast
- Folding arm that can also be completely removed and stored inside the projector for carrying and storage
- Twin lamps should one fail during a presentation
- Guaranteed for 24 months parts and labour
- CE marked and UK-manufactured in ISO9001 accredited production unit

Spare bulbs			
33730957	24v/250w	Single	19.10
33734535	36v/400w	Single	40.90

For **Trolleys**, see p.22;
for **Screens**, see p.30

USAGE	ENVIRONMENT: Small/medium room	Medium/large room	Mobile
Black & white presentations	Quantum 2521	Quantum 4023	Quantum 2523T
Detailed/colour presentations	Quantum 2523	Quantum 4023	Quantum 4013M

Features	**Quantum 2521**	**Quantum 2523**	**Quantum 4023**
Type of projector	Desktop	Desktop	Desktop
Lamp wattage	24v/250w	24v/250w	36v/400w
Lamp type	A1/223, EHJ	A1/223, EHJ	A1/239, EVD
Lamp life min.(hours)	50	50	50
Suitable for LCD panel			■
Lumen output	2200	2500	4200
Platform size	28.5 x 28.5cm	28.5 x 28.5cm	28.5 x 28.5cm
Platform safety switch	■	■	■
Glare-free fresnel lens	■	■	■
Platform release	■	■	■
Lamp changer	■	■	■
Lens type	1-element	3-element	3-element
Objective lens	31.7cm	31.7cm	31.7cm
Internal condenser lens		■	■
Economy switch/circuit			■
Circuitry	Transformer	Transformer	Transformer
Safety thermal cut-out switch	■	■	■
Cooling source	Box fan	Box fan	Box fan
Decibel level	40dba	40dba	40dba
Scroll attachment facility	■	■	■
Moulded carry grips	■	■	■
Cable storage	■	■	■
Cable length	4.5m	4.5m	4.5m
Detachable arm & internal storage	■	■	■
Fold down arm for carrying/storage	■	■	■
Fringe control	Automatic	Automatic	Automatic
Full CE & test house documents	■	■	■
Projection picture size	1 x 1m–3 x 3m	1 x 1m–3 x 3m	1 x 1m–3 x 3m
Overall size (w x d x h cm)	38.4 x 39.3 x 71.5	38.4 x 39.3 x 71.5	38.4 x 39.3 x 71.5
Storage/Carrying size (cm)	38.4 x 52 x 28	38.4 x 52 x 28	38.4 x 52 x 28
Weight	8.15kg	8.45kg	9.7kg
Product code	**1900563**	**1900567**	**1900571**
Price	533.00	591.00	771.00



Arm folds down when not in use



Compact head unit



Arm storage in OHP body

Quantum 2523

Overhead Projectors

Portable Projectors

Streamlined and very lightweight projectors with superior optics, making them the perfect companion for the travelling presenter, but equally at home in a conference, boardroom or meeting room

Positive focussing control and instant lamp change (250w only)

Robust carry case offers protection and includes cable and document storage

Quantum 4013M

Nobo Quantum Overhead Projectors 2523T & 4013M

- Compact and very lightweight design
- Intergrated carrying case with internal document and cable storage
- Triple element vario lens for increased picture clarity
- Internal condenser lens producing a brighter, clearer image

Spare bulbs			
33730957	24v/250w	Single	19.10
33738122	240v/400w	Single	60.60

Features	**Quantum Portable 2523T**	**Quantum Portable 4013M**
Type of projector	Lightweight	Very lightweight
Lamp wattage	24v/250w	240v/400w
Lamp type	A1/223, EHJ	FSY
Lamp life min.(hours)	50	50
Lumen output	2500	2700
Platform size	28.5 x 28.5cm	28.5 x 28.5cm
Glare-free fresnel lens	■	■
Lamp changer	■	
Lens type	3-element vario	3-element vario
Objective lens	26–30cm	26–30cm
Internal condenser lens	■	■
Circuitry	Transformer	Mains
Safety thermal cut-out switch	■	■
Cooling source	Box fan	Box fan
Decibel level	40dba	40dba
Moulded carry grips	Hard Carry case	Hard Carry case
Cable storage	In case	In case
Cable length	4.5m	4.5m
Fold down arm for carrying/storage	■	■
Full CE & test house documents	■	■
Projection picture size	1 x 1m–3 x 3m	1 x 1m–3 x 3m
Overall size (w x d x h cm)	32.5 x 43.5 x 40.5	32.5 x 43.5 x 40.5
Storage/Carrying size (cm)	33.5 x 50 x 15	33.5 x 50 x 15
Weight	5.66kg	3kg
Product code	**1900583**	**1900592**
Price	945.00	1148.00

For **Trolleys**, see p.22;
for **Screens**, see p.30

Overhead Projectors

Nobo 499

Nobo 499

- Unique high-powered compact design
- Lowline profile and carrying handle
- 400W lamp suitable to use with LCD panels and for extra brightness in large venues
- Square lightstage suitable to project both landscape and portrait films without adjustment
- 13 amp 3-pin socket to power an LCD panel linked to a PC
- Twin lamps in case of failure during a presentation

Nobo Traveller 10

- Very lightweight unit which folds flat into its own carrying case
- Reflective base lens gives clear projection of overhead transparencies
- See table for technical details

Nobo Traveller 10

Features	Nobo 499	Traveller 10
Type of projector	Portable	Lightweight
Lamp wattage	400W	250W
Lumen output	3500	2500
Platform release	■	
Lamp changer	■	■
Triple element lens	■	vari-focal
Fold down arm	■	■
Lens Type	31.7cm	28-32cm
LCD/PC Compatible	■	
Carry case		■
Overall size (w x d x h cm)	39 x 37 x 54	44 x 31 x 46
Storage/Carrying Size (cm)	39 x 46 x 19	44 x 31 x 12
Weight	8.6kg	7.5kg
Product code	**33433465**	**44067GB**
Price	1175.00	1148.00

Spare bulbs			
33730957	24v/250w	Single	19.10
33734535	36v/400w	Single	40.90

Nobo Premier 250/2, 250/3 & 400

- Unique contoured body
- Lightweight design
- Easy-focus overhead lens
- Twin lamps with blown-lamp indicator light
- A simple slide device for gradually revealing your presentation points one at a time
- Integral clock with timer
- Safety cut-out when top is opened
- Quiet axial cooling fan
- Removable head and arm for storage or transport











Features	Premier 250/2	Premier 250/3	Premier 400
Type of projector	Table-top	Table-top	Table-top
Lamp Wattage	250W	250W	400W
Lumen Output	2500	2750	4750
Reveal System	■	■	■
Backlit Control Panel	■	■	■
Clock/Timer	■	■	■
Light Reduction Switch	■	■	■
Lamp Blown Indicator	■	■	■
Twin-Lamps	■	■	■
Removable Arm/Head	■	■	■
Lens Type	Single	Triple Vario	Triple Vario
LCD/PC Compatible			■
LCD/PC Power Socket			■
Overall size (w x d x h cm)	43 x 46 x 69	43 x 46 x 69	43 x 46 x 69
Storage/Carrying Size (cm)	43 x 46 x 28.5	43 x 46 x 28.5	43 x 46 x 28.5
Weight	11.0kg	11.4kg	16.0kg
Product code	**44069GB**	**44050GB**	**44066GB**
Price	814.00	902.00	1273.00

For **Trolleys**, see p.22;
for **Screens**, see p.30

Spare bulbs			
33730957	24v/250w	Single	19.10
33734535	36v/400w	Single	40.90

Projection Screens

Nobo Professional Tripod Screens

- Matt white projection surface
- Integral overhead arm to set screen at the right angle for use with OHP
- Tensioner wheel in end of screen housing for wrinkle free screen surface
- Rubber feet caps

33930969	125cm sq (screen area)	216.00
33930970	150cm sq (screen area)	262.00
33933934	180cm sq (screen area)	344.00

Nobo High-Gain Tripod Screen

- Special fabric gives additional brilliance to screen images, specially suitable for use with LCD projection (Gain 1.35)
- Integral overhead arm to set screen at the right angle for use with OHP

33938212	150cm sq (screen area)	387.00
33938213	180cm sq (screen area)	525.00

Nobo Flexion Screen

- Unique, revolutionary design giving a completely portable, lightweight unit, ideal for the travelling presenter
- Flexible steel edging inserted in border bends into a double loop to be packed into the carry bag supplied
- Black border to projection area

33938783	60 x 80cm screen area	272.00
33938784	122 x 122cm screen area	443.00

Nobo Floorstanding Screen

Nobo Floorstanding Screen

- Sturdy box housing with integral swivel foot
- Support arm features integrated long arm to give correct angle for OHP use
- Can be used on a desktop
- 150cm wide, adjustable up to 2m high

33938439	Nobo Floorstanding Screen	361.00

Nobo Mobile Screen

For **Trolleys**, see p.22;
for **OHPs**, see p.24-29

Nobo Mobile Screen

- Fully mobile on star-base with lockable castors
- Height adjustment on stem support
- Integrated long arm to give the correct angle for use with OHP
- Screen box swivels on stem for storage purposes
- Screen 150cm square

33938477	Nobo Mobile Screen*	210.00
33938478	Mobile Screen Base*	152.00

* Must order both units together

Projection Screens

Nobo Professional Wall Screens

- Matt white projection surface
- Dust-resistant screen housing
- Roller catch operation to hold screen open
- May be wall- or ceiling-mounted

33930971	125cm sq (screen area)	180.00
33930972	150cm sq (screen area)	216.00
33930973	170cm sq (screen area)	272.00

Nobo High-Gain Wall Screen

- Special fabric gives additional brilliance to screen images, specially suitable for use with LCD projection (Gain 1.35)
- Dust-resistant screen housing
- May be wall- or ceiling-mounted

1900036	150cm sq (screen area)	289.00
1900037	170cm sq (screen area)	377.00

Nobo Electric Screen

- Large size suitable for permanent siting
- Control switch may be set a distance from the screen
- Smooth-action, quiet motor integrated within the screen housing
- May be mounted on wall or ceiling, fittings included
- Should be installed by a qualified electrician

33938868	180 x 180cm screen area	1355.00
33938869	200 x 200cm screen area	1765.00
33938870	244 x 244cm screen area	2126.00

For **Trolleys**, see p.22;
for **OHPs**, see p.24-29

Nobo Cantilever Screen

- Heavy-duty screen for permanent wall-mounting
- Hinged bracket gives freedom to move the screen away from the wall up to 80cm
- May also be angled to face in any direction
- Telescopic tension rod doubles as long-reach arm to open screen from its housing
- Screen size: 150cm square

33932029	Nobo Cantilever Screen	354.00

Projection Accessories

Nobo Laser Pointers

Based on a pen style for convenient use and storage. Laser class 2, operate on AAA batteries (supplied). Fitted with a pocket clip. Conforms to CENELEC EN-60825-1 (1994), the European laser safety standard. Do not stare into the beam



Laser Executive

- Range up to 600m
- Option for display to be in dot or dash mode
- Option for continuous or flashing display

34438156	Laser Executive	136.00

Laser 400

- Range up to 400m
- Option for continuous or flashing display

34433422	Laser 400	115.00

Laser 200

- Range up to 200m
- Continuous dot display

34438155	Laser 200	90.20

Laser 100

- Range up to 100m
- Continuous dot display

34433685	Laser 100	73.70

Nobo Giant Telescopic Pointer

- 22.3cm extends to 117.5cm
- Orange tip draws attention to highlighted item

34438432	Giant Telescopic Pointer	16.30

Nobo Telescopic Pointer Pen

- 13cm extends to 62.5cm
- Screw cap covers writing tip of pen

34431151	Telescopic Pointer Pen	11.40

Nobo Telescopic Pointer Light

- 16cm extends to 65.8cm
- Powered by 2 x L736 watch-type batteries, switches on as pointer is extended

34431153	Telescopic Pointer Light	45.90

TV Wall Brackets

- Platform rotates 360° and can be tilted
- **14" model** has fixed arm and accepts machines up to 27kg
- **20" model** has double-swivel arm and accepts machines up to 30kg

34038780	14" Wall Bracket	98.40
34038781	20" Wall Bracket	130.00



OHP Accessories

Nobo OHP Films

There are films dedicated to every kind of printer associated with personal computers, and for mono and colour copiers. Nobo packaging has a symbol indicating the usage appropriate for the film inside

Laser OHP Film

- A range covering premium quality for important presentations, an everyday film, and one for photographic quality results from colour printers

Inkjet OHP Film

- Two types; interleaved for use with most machines, and one with a removable side-strip designated for Hewlett Packard® Deskjet printers

Canon Colour Copier OHP Film

- Films designated for use with different technology Canon machines

Plain Paper Copier OHP Film

- Coated both sides, suitable for single- or stack-feeding

High-speed OHP Film

- Specially designed for stack-fed machines for fast multiple copying, types for both long-edge and short edge feed

Write-on OHP Film

- Suitable for all hand-created OHP films
- For use with Hydromarkers

Code	Film Type	Details	Pack Size	Price
33633740	Laser	Attached backing – short	50	27.80
1900091	Laser	Plain	50	21.20
33638782	Colour Laser	Plain	50	59.00
33630949	Inkjet	Plain	50	49.10
33634668	Inkjet	Removeable side stripe – short	50	57.30
33638138	Colour copier CLC 700/800	Printed strip along long edge	50	86.90
33638237	PPC	Plain	100	39.30
33632499	PPC A3 size	Plain	50	57.30
33638240	High Speed	Attached backing – long	100	44.20
33638241	High Speed	Attached backing – short	100	44.20
33638235	Write-on	Plain	100	21.20



Nobo Slide Pockets

- Clear pockets each holding up to 24 35mm slides
- **Punched pockets** are suitable for any type of ring binder (for 20 slides)
- **Hanging pockets** are suitable for storing in filing cabinets (for 24 slides)
- Packs of 10

34131007	Hanging Pocket	47.50
34132502	Punched Pockets	19.60

Nobo OHP Pockets

- Multiple holes down side for storage in any ring binder
- May be placed directly on the OHP for projection and to protect the OHP film
- Clear pockets in 50 pack size

33630946	Nobo Clear OHP Pockets Pack 50	44.20

Slide Projection

Nobo SPII Slide Projector

- A sturdy machine which comes complete with its own 50-slide magazine
- Integral socket to allow tape or timer to be used for automated presentation

Nobo SPV Slide Projector

- Multi-featured projector suitable for use in both small and large venues
- Infra-red control may be set to one of two levels to enable two projectors to be used in tandem without interference problems from one to another

Features	Nobo SP8	Nobo SPV	Nobo SPII
Dual Lamp System	■	■	
Autofocus	■+LED Indicator	■	■
Selective Autofocus with Override	■	■	■
Focusing Wheel	Button	Button	■
Halogen Lamp	2x250W	2x250W	1x150W
Lamp Indicator & Indication of Defective lamp	■	■	
Fast Slide Change - Approx Seconds	0.9	1.5	1.0
No Slide - no light diaphragm	■	■	■
Random access of slides	■		
Individual slide holder		■	■
Connection for tape recorder & accessories	remote via 6-pin DIN	■	■
Dimmer for lamp brightness		■	
Timer for automatic operation	2-120 Seconds	2-99 Seconds	
Wired Remote Control		Infra-red	■
Autofade function		■	
Adjustable front feet	■	■	■
Dimensions (l x w x h in cm)	33 x 28.6 x 12.4	29.5 x 28 x 14	27 x 29.5 x 12.5
Weight approx	7.1kg	5.3kg	5kg
Code	**33838083**	**33834050**	**33830966**
Price	1723.00	1280.00	394.00

Nobo SP8 Slide Projector

- Substantial machine suitable for use in presentations and for continuous slide-shows in exhibitions, shops, museums and leisure centres
- Guaranteed 12 months for labour and 2 years for parts

33838083	SP8 with 10cm lens	1723.00
34038118	SP8 slide tray	29.40

For **Trolleys**, see p.22;
for **OHPs**, see p.24-29;
for **Screens**, see p.30

Accessories		
33730965	24V/150w Spare lamp	18.00
33730957	24v/250w Spare lamp	19.00
34034954	Slide magazine 2 x 50	16.60

Acco UK
Gatehouse Road
Aylesbury
Bucks HP19 3DT

Tel.: 01296 397444
Fax: 01296 489539

www.acco.co.uk
www.accoeurope.com

E&OE
N2594/elw

0100121